

- 1. Make an abrasión or mechanical peel of the area to be treated in order to remove keratinocytes and increase skin permeability
- 2. Cleanse with non-alcoholic product
- 3. Apply mixture by dropping little quantity out of the syringe only over a small area until complete absorption, move on with the next area. Respect the time indicated by your device manufacturer. If your device needs a conductor gel, mix the solution to it or apply first the gel over the area and drop the mixture.
- 4. Finishing the treatment remove product remaining.
- 5. Apply post cream. Recommend maintenance with MesoAge and MesoVita. Inform patient about Ageing related issues as nutrition, smoking, sun exposure and balanced life style.
- 6. Register in the patient chart the mixture used, the area treated and other observations.

Create most appropriate mixture individually for your client's skin problem.

Mixtures quantities can be changed according to the treated area and the system used.

MIX 1

MIX 2

MIX 4

MIX 3

MIX 5

PRODUCT

Dexpanthenol Glycolic Acid

2 ml

5 ml

Dexpanthenol Glycolic Acid Vitamin A

2 ml 2 ml

2′5 ml

Dexpanthenol Glycolc Acid Biotin

Dexpanthenol Glycolic Acid

Dexpanthenol

Biotin

X-ADN

Vitamin C

QUANTITI / AILLA

QUANTITY / AREA

5 ml 2 ml

2 ml

/ ARFA

5 ml 2 ml 5 ml

QUANTITY / AREA

2′5 ml

2 ml 2′5 ml ADEAC

Face

Face

Face

MIX 6 ACNEE PRODUCT

BCN Base

Glycolic Acid Vitamin A QUANTITY / AREA

3 cc 2 cc

2 cc

AREAS

Face

Cleavage Back

MIX 7 ACNEE PRODUCT

BCN Base

Dexpanthenol Glycolic Acid QUANTITY / AREA

3 cc 2 cc

2 cc

AREAS

Face

Cleavage

Back

MIX 8 COUPEROSE PRODUCT

BCN Base

Gingko Biloba

Vitamin C

QUANTITY / AREA

3 сс

2 cc

2 cc

AREAS

Face

MIX 9 COUPEROSE PRODUCT

BCN Base

Rutin&Melilot Extr.
Polyvitamins

QUANTITY / AREA

3 сс

2 cc 2 cc AREAS

Face

APPROX QUANTITIES

SESSIONS

DEVICES

First 4 weeks: 1-2 weekly sessions

Following 4-8 weeks: 1 fortnightly session

| Monthly maintenance session

Face [7-15 ml]

Neck & décolleté [5-10 ml]

· Both hands [3 ml]



CELLULITE Protocols for transdermal delivery



- 1. Make an abrasion or mechanical peel of the area to be treated in order to remove keratinocytes and increase skin permeability
- 2. Cleanse with non-alcoholic product
- 3. Apply mixture by dropping little quantity out of the syringe only over a small area until complete absorption, move on with the next area. Respect the time indicated by your device manufacturer. If your device needs a conductor gel, mix the solution to it or apply first the gel over the area and drop the mixture.
- 4. Finishing the treatment remove product remaining.
- 5. Apply post cream. Recommend maintenance with MesoCell. Inform patient about Cellulite related issues as nutrition, smoking, physical exercise, proper hydration.
- 6. Register in the patient chart the mixture used, the area treated and other observations.

Create most appropriate mixture individually for your client's skin problem. Mixtures quantities can be changed according to the treated area and the system used.

PRODUCT

Artichoke Extract

Organic Silica

L-Carnitine

Rutin & Melilot Extract

QUANTITY / AREA

5 ml

5 ml

5 ml 2 ml Thighs

L-Carnitine

Rutin & Melilot Extract

Caffeine

Sodium Pyruvate

QUANTITY / AREA

5 ml

4 ml

2 ml

4 ml

AREAS

Thighs

PRODUCT

L-Carnitine

Rutin & Melilot Extract

Caffeine

Organic Silica

QUANTITY / AREA

5 ml

2 ml

2 ml

5 ml

Thighs

PRODUCT

Asian Centella

Organic Silica

Caffeine

QUANTITY / AREA

4 - 6 ml

10 ml 2 ml

AREAS

Thighs



MIX 5 CLASSIC PRODUCT

Caffeine

L-Carnitine

Organic Silica & DMAE

Sodium Piruvate

OUANTITY / AREA

1 ml

4 ml

4 ml 1 ml AREAS

Buttocks

MIX 6 CLASSIC PRODUCT

Caffeine

L-Carnitine

Rutin & Meliot Extract

Organic Silica & DMAE

QUANTITY / AREA

1 ml

4 ml

7 11111

1 ml

4 ml

AREAS

Thighs

MIX 7 CLASSIC PRODUCT

Atichoke Extract

L-Carnitine

Rutin & Meliot Extract

Organic Silica & DMAE

QUANTITY / AREA

3 ml

3 ml 1 ml

3 ml

AREAS

Thighs

MIX 8 CLASSIC PRODUCT

Caffeine

Rutin & Meliot Extract

L-Carnitine

Amino Acids Complex

QUANTITY / AREA

1 ml

2 ml

3 ml

2 ml

AREAS

MIX 9 CLASSIC PRODUCT

Caffeine

L-Carnitine

Asian Centella

QUANTITY / AREA

1 ml

5 ml

2 ml

AREAS

Abdomen

MIX 10 CLASSIC PRODUCT

Artichoke Extract

L-Carnitine

Asian Centella

QUANTITY / AREA

4 ml

4 ml

2 ml

AREAS

Abdomen

MIX 11 VASCULAR PRODUCT

Asian Centella

Rutin & Melilot Extract

(Caffeine)

Organic Silica

QUANTITY / AREA

4 ml

4 ml

2 ml 5 ml ARLAS

Thighs

MIX 12 VASCULAR PRODUCT

Asian Centella

Rutin & Melilot Extract

Caffeine

L-Carnitine

QUANTITY / AREA

2 ml

4 ml

2 ml

7′5 ml

AREAS

Thighs

MIX 13 VASCULAR PRODUCT

Rutin & Melilot Extract

Asian Centella

Gingko Biloba

QUANTITY / AREA

2 ml

2 ml

5 ml

AREAS

Calfs

MIX 14 VASCULAR PRODUCT

Rutin & Melilot Extract

Organic Silica

Artichoke Extract

Sodium Pyruvate

OUANTITY / AREA

4 ml

5 ml

5 ml 2 ml Thighs

AREAS

MIX 15 CELLULITE PRODUCT BCN Adipo QUANTITY / AREA
5 cc

AREAS

Arms Thinghs

Buttocks

MIX 16
CELLULITE

PRODUCT

BCN Adipo

Artichoke extr.

Sodium Pyruvate

QUANTITY / AREA

3 сс

2 cc

2 cc

AREAS

Arms

Thinghs

Buttocks

MIX 17 CELLULITE PRODUCT

BCN Adipo

BCN ECQ10

Gingko Biloba

QUANTITY / AREA

3 сс

2 cc

2 cc (or Sodium Pyruvate)

AREAS

Arms

Thinghs Buttocks

SESSIONS

APPROX OHANTITIES


DEVICES

First 8 weeks: 1-2 weekly sessions | Following 4-8 weeks: 1 fortnightly session | Monthly maintenance session

Thighs [7-15 ml/side] \cdot Buttocks [7-15 ml] \cdot Abdomen [7-12 ml] \cdot Calfs [5-8 ml/side] \cdot Love handles [5-7 ml/side]



EYE AREA Protocols for transdermal delivery



- 1. Make an abrasion or mechanical peel of the area to be treated in order to remove keratinocytes and increase skin permeability
- 2. Cleanse with non-alcoholic product
- 3. Apply mixture by dropping little quantity out of the syringe only over a small area until complete absorption, move on with the next area. Respect the time indicated by your device manufacturer. If your device needs a conductor gel, mix the solution to it or apply first the gel over the area and drop the mixture.
- 4. Finishing the treatment remove product remaining.
- 5. Apply post cream. Recommend maintenance with MesoAge and MesoVita. Inform patient about Ageing related issues as nutrition, smoking, sun exposure and balanced life style.
- 6. Register in the patient chart the mixture used, the area treated and other observations.

Create most appropriate mixture individually for your client's skin problem. Mixtures quantities can be changed according to the treated area and the system used.

DARK EYES <u>CIRCLES</u>

Ginkgo Biloba

Caffeine

QUANTITY / AREA

2 ml

2 ml

AREAS

Eyes

Argireline

Hyarulonic Acid 3,5%

Vitamin A

2 ml

2 ml

2 ml

AREAS

Eyes

Frown

BCN Base

Argireline

QUANTITY / ARE

3 cc

2 cc

AREAS

Forehead

Glabella

Periorbital area

Upper lip



MIX 4 DARK EYE CIRCLES

PRODUCT QUANTITY / AREA **BCN** Base 3 сс Caffeine 1 cc Gingko Biloba 1 cc


First 4 weeks: 1-2 weekly session | Following 4-8 weeks: 1 fortnightly session | Monthly maintenance session

Eyes [2-3 ml]



HAIR LOSS

Protocols for transdermal delivery



- 1. Make an abrasion or mechanical peel of the area to be treated in order to remove keratinocytes and increase skin permeability
- 2. Cleanse with non-alcoholic product
- 3. Apply mixture by dropping little quantity out of the syringe only over a small area until complete absorption, move on with the next area. Respect the time indicated by your device manufacturer. If your device needs a conductor gel, mix the solution to it or apply first the gel over the area and drop the mixture.
- 4. Finishing the treatment remove product remaining.
- 5. Apply post cream. Recommend maintenance with MesoAge and MesoVita. Inform patient about Ageing related issues as nutrition, smoking, sun exposure and balanced life style.
- 6. Register in the patient chart the mixture used, the area treated and other observations.

Create most appropriate mixture individually for your client's skin problem.

Mixtures quantities can be changed according to the treated area and the system used.

MIX 1

PRODUC

Biotin

Dexpanthenol

Trace Elements

Amino Acids Complex

OLIANTITY / AREA

2 ml

4 ml 2 ml

2 ml

AREAS

Scalp

MIX 2

PRODUCT

Biotin

Dexpanthenol

Asian Centella

Organic Silica

2 ml

2 mi 3 ml

2 ml

2 ml

TITLAS

Scalp

MIX 3

PRODUCT

Dexpanthenol

Polyvitamins Asian Centella 3 ml

2 ml

AREAS

MIX 4

PRODUCT

Biotin

Dexpanthenol Ginkgo Biloba QUANTITY / AREA

QUANTITY / AREA

2 ml

3 ml

3 ml

5 cc

Scalp

MIX 6

PRODUCT
BCN Scalp

QUANTITY / AREA

MIX 6 ALOPECIA PRODUCT

BCN Scalp

Organic Silica Asian Centella QUANTITY / AREA

5 сс

2 cc 2 cc

MIX 7 ALOPECIA PRODUCT

BCN Scalp

X-DNA gel Asian Centella

gol

2 cc

2 cc

AREAS

MIX 8 ALOPECIA PRODUCT

BCN Scalp

BCB Base

QUANTITY / AREA

2,5 cc (or DNA liquid)

5 cc

3 сс

ADEAS

VDDBUA ULIVVILILES

SESSIONS

DEVICES

First 4 weeks: 1-2 weekly sessions

Following 4-8 weeks: 1 fortnightly session

Monthly maintenance session

Face [7-15 ml]

Neck & décolleté [5-10 ml]

· Both hands [3 ml]



HYPERPIGMENTATIONS / WHITENING Protocols for transdermal delivery



- 1. Make an abrasion or mechanical peel of the area to be treated in order to remove keratinocytes and increase skin permeability
- 2. Cleanse with non-alcoholic product
- 3. Apply mixture by dropping little quantity out of the syringe only over a small area until complete absorption, move on with the next area. Respect the time indicated by your device manufacturer. If your device needs a conductor gel, mix the solution to it or apply first the gel over the area and drop the mixture.
- 4. Finishing the treatment remove product remaining.
- 5. Apply high sunscreen, recommend pre and post maintenance with Mesoblanche melano treatment. Inform patient about adequate sun protection and exposure risks.
- 6. Register in the patient chart the mixture used, the area treated and other observations.

Create most appropriate mixture individually for your client's skin problem. Mixtures quantities can be changed according to the treated area and the system used

MIX 1

MIX 2

MIX 4

MIX 3

MIX 5

PRODUCT

Glutathione Vitamin C

Sodium Pyruvate

Glutathione Vitamin C

Glycolic Acid

PRODUCT

Glutathione

Vitamin C

Glycolic Acid

PRODUCT

Glutathione Vitamin C

Sodium Pyruvate

Glutathione Glycolic Acid

Vitamin C

5 ml 2′5 ml

2 ml

5 ml 2′5 ml

2 ml

1 ml

1 ml

1 ml

1 ml

2 ml

2 ml

Neck

Decollete or hands

Neck

Decollete or hands

Face

MIX 6 WHITENING PRODUCT
BCN Melano

QUANTITY / AREA

AREAS

Face

Neck

Cleavage

Hands

MIX 7 WHITENING PRODUCT

BCN Melano

BCN Base

QUANTITY / AREA

5 cc

5 сс

3 сс

AREAS

Face

Neck

Cleavage

Hands

APPROX OF IANTITIES

SESSIONS

DEVICES

First 8 weeks: 1-2 weekly sessions

Following 4-8 weeks: 1 fortnightly session

Monthly maintenance session

Thighs [7-15 ml/side] · Buttocks [7-15 ml] · Abdomen [7-12 ml] · Calfs [5-8 ml/side] · Love handles [5-7 ml/side]



LIPOLYSIS / LOCALIZED FAT Protocols for transdermal delivery



- 1. Make an abrasion or mechanical peel of the area to be treated in order to remove keratinocytes and increase skin permeability
- 2. Cleanse with non-alcoholic product
- 3. Apply mixture by dropping little quantity out of the syringe only over a small area until complete absorption, move on with the next area. Respect the time indicated by your device manufacturer. If your device needs a conductor gel, mix the solution to it or apply first the gel over the area and drop the mixture.
- 4. Finishing the treatment remove product remaining.
- 5. Apply post cream. Recommend maintenance with MesoCell. Inform patient about Cellulite related issues as nutrition, smoking, physical exercise, proper hydration.
- 6. Register in the patient chart the mixture used, the area treated and other observations.

Create most appropriate mixture individually for your client's skin problem. Mixtures quantities can be changed according to the treated area and the system used

MIX 1

PRODUCT

Phosphatidylcholine

L-Carnitine

5 ml

5 ml

Thighs Abdomen

MIX 2

Phosphatidylcholine

L-Carnitine

Artichoke Extract

(Organic Silica)

QUANTITY / AREA

5 ml

5 ml

5 ml

5 ml

AREAS

Thighs

(Abdomen)

MIX 3

Phosphatidylcholine

L-Carnitine

Organic Silica & DMAE

5 ml

5 ml

5 ml



MIX 4

PRODUCT

Phosphatidylcholine

L-Carnitine

Amino Acids Complex

QUANTITY / AREA

4 ml

4 ml 2 ml AREAS

General fat

MIX 5

PRODUCT

Phosphatydilcholine

L-Carnitine

Asian Centella

Organic Silica & DMAE

OUANTITY / AREA

3 ml

3 ml

2 ml

2 ml

AREAS

Abdomen

MIX 6

PRODUCT

Phosphatydilcholine

L-Carnitine

Asian Centell

QUANTITY / AREA

4 ml

4 ml

2 ml

AREAS

Buttocks

Thighs

Double Chin

LOCALISED FAT DEPOSITS

PRODUCT

BCN Adipo Forte

QUANTITY / AREA

10 cc

AREAS

Double chin

Abdomen Knees

LOCALISED FAT DEPOSITS

PRODUCT

BCN Adipo Forte

Phosphatydilcholine

QUANTITY / AREA

5 сс

5 сс

AREAS

Double chin

Abdomen

Knees

LOCALISED FAT DEPOSITS

PRODUCT

BCN Adipo Forte

BCN ECQ10

Sodium Pyruvate

QUANTITY / AREA

5 cc

3 сс

2 cc

AREAS

Double chin Abdomen

17

Knees

SESSIONS

APPROX QUANTITIES

DEVICES

First 8 weeks: 1-2 weekly sessions | Following 4-8 weeks: 1 fortnightly session | Monthly maintenance session

Thights [7-15 ml/side] · Buttocks [7-15 ml] · Abdomen [7-12 ml] · Calfs [5-8 ml/side] · Love handles [5-7 ml/side]



MESOLIFT & AGING Protocols for transdermal delivery



- 1. Make an abrasion or mechanical peel of the area to be treated in order to remove keratinocytes and increase skin permeability
- 2. Cleanse with non-alcoholic product
- 3. Apply mixture by dropping little quantity out of the syringe only over a small area until complete absorption, move on with the next area. Respect the time indicated by your device manufacturer. If your device needs a conductor gel, mix the solution to it or apply first the gel over the area and drop the mixture.
- 4. Finishing the treatment remove product remaining.
- 5. Apply post cream. Recommend maintenance with MesoAge and MesoVita. Inform patient about Ageing related issues as nutrition, smoking, sun exposure and balanced life style.
- 6. Register in the patient chart the mixture used, the area treated and other observations.

Create most appropriate mixture individually for your client's skin problem. Mixtures quantities can be changed according to the treated area and the system used

MIX 1

Asian Centella

Vitamin C

Hyaluronic Acid 3.5% (diluted)

QUANTITY / ARE

1 ampoule

1 ampoule 1/2 vial

Face

Decollete, neck and hands can be treated increasing the quantities

 $MX \overline{2}$

Hyaluronic Acid 3.5% (diluted)

Organic Silica (& DMAE)

Vitamin C

X-ADN (diluted)

QUANTITY / AREA

1/2 vial

1 ampoule

1 ampoule

1 vial

AREAS

Face

Neck

Decollete and hands can be treated increasing the quantities

MIX 3

PRODUCT

Organic Silica & DMAE

Hyaluronic Acid 3.5% (diluted)

Asian Centella

QUANTITY / AREA

1 ampoule

1/2 vial

1 ampoule

face

Decollete, neck and hands can be treated increasing the quantities

MX4

DMAE

X-ADN Gel (diluted)

Vitamin C

5 ml

2,5 ml

5 ml

Face

Neck

Decollete and hands can be treated increasing the quantities



MIX 5

PRODUCT

DMAE

Hyaluronic Acid 3.5% (diluted) Asian Centella

QUANTITY / AREA

5 ml

2,5 ml 2 ml

AREAS

Face

Decollete, neck and hands can be treated increasing the quantities

MIX 6

PRODUCT

Asian Centella Vitamin C Organic Silica

Sodium Pyruvate

QUANTITY / AREA

2 ml 5 ml

5 ml

2 ml

AREAS

Face Neck

Decollete

MIX 7 MOISTURISING

PRODUCT

BCN Base

QUANTITY / AREA

3 сс

AREAS

Face

Neck

Cleavage

Hands

MIX 8 MOISTURISING

PRODUCT

BCN Base

Polyvitamins

QUANTITY / AREA

3 сс

2 cc (or Trace Elements, or Amino Acids)

AREAS

Face

Neck Cleavage

Hands

MIX 9 MOISTURISING

PRODUCT

BCN Base

Polyvitamins

Trace Elements

QUANTITY / AREA

3 сс

2 cc 2 cc

Face

Neck

Cleavage

Hands

PRODUCT

BCN Base

DMAE

QUANTITY / AREA

5 cc (not recomended around the eyes or forehead)

AREAS

Face

Neck

MIX 11 MESOLIFT PRODUCT

BCN Base

BCN ECQ10

Polyvitamins

QUANTITY / AREA

3 сс

3 сс

2,5 cc

AREAS

Face Neck

MIX 12 NATURE SKIN, SAGGED SKIN, SUN DAMAGED, SMOKERS' SKIN PRODUCT

BCN Base

QUANTITY / AREA

3 сс

ARFAG

Face

Neck

Cleavage

Hands

MIX 13 NATURE SKIN, SAGGED SKIN, SUN DAMAGED, SMOKERS' SKIN PRODUCT

BCN ECQ10

QUANTITY / AREA

3 сс

AREAS

Face

Neck Cleavage

Hands

MIX 14 NATURE SKIN, SAGGED SKIN, SUN DAMAGED, SMOKERS' SKIN PRODUCT

BCN Base

Polyvitamins

QUANTITY / AREA

3 сс

2 cc (or Trace Elements, or Amino Acids)

AREAS

Face

Neck

Cleavage

Hands

MIX 15 NATURE SKIN, SAGGED SKIN, SUN DAMAGED, SMOKERS' SKIN PRODUCT

BCN Base

BCN ECQ10

Vitamin C

Asian Centella

QUANTITY / AREA

3 сс

3 сс

2 cc

2 cc

AREAS

Face

Neck

Cleavage

Hands

MIX 16 NATURE SKIN, SAGGED SKIN, SUN DAMAGED, SMOKERS' SKIN PRODUCT

BCN Base

BCN ECQ10

Glutathione Asian Centella

3 сс

3 сс

2 cc

2 cc

AREAS

Face

Neck

Cleavage

Hands

SESSIONS

<u>APPRO</u>X QUANTITIES

First 4 weeks: 1-2 weekly sessions | Following 4-8 weeks: 1 fortnightly session | Monthly maintenance session

DEVICES



STRETCHMARKS / SCARS Protocols for transdermal delivery



- 1. Make an abrasion or mechanical peel of the area to be treated in order to remove keratinocytes and increase skin permeability
- 2. Cleanse with non-alcoholic product
- 3. Apply mixture by droping out of syringe over the complete area until complete absorbtion respecting the time indicated by your device manufacturer. If your device needs a conductor gel, mix the solution to it or apply first the gel over the area and drop the mixture.
- 4. Apply hydrating cream if necessary

Create most appropriate mixture individually for your client's skin problem. Mixtures quantities can be changed according to the treated area and the system used

MIX 1

PRODUCT

X-DNA

Glycolic Acid

Vitamin A

Dexpanthenol

QUANTITY / AREA

2,5 ml 2 ml

2 ml

3 ml

AREAS

Abdomen

Buttocks Thighs

MIX 2

PRODUCT

Dexpanthenol

Vitamin C

X-DNA

QUANTITY / AREA

4 ml

4 ml

2,5 ml

AREAS

Abdomen

MIX 3

X-DNA

Glycolic Acid

Vitamin A

Organic Silic & DMAE

2,5 ml

2 ml

2 ml

3 ml

AREAS

Breasts

MIX 4

X-DNA

Vitamin A

Glycolic Acid

QUANTITY / AREA

2 ml

2 ml

2 ml



PRODUCT QUANTITY / AREA AREAS X-DNA gel 2 ml MIX 5 Vitamin A 2 ml Glycolic Acid 2 ml Dexpanthenol 3 ml PRODUCT QUANTITY / AREA AREAS X-DNA 2 ml MIX 6 2 ml Glycolic Acid Dexpanthenol 4 ml Amino Acids Complex 2 ml PRODUCT QUANTITY / AREA AREAS MIX 7 STRETCH MARKS BCN ECQ10 3 сс QUANTITY / AREA PRODUCT AREAS MIX 8 STRETCH MARKS BCN ECQ10 3 сс BCN ECQ10 3 сс PRODUCT QUANTITY / AREA AREAS MIX 9 STRETCH MARKS **BCN ECQ10** 3 сс **BCN ECQ10** 3 сс Vitamin C 2 cc Glycolic Acid 2 cc PRODUCT QUANTITY / AREA AREAS BCN ECQ10 3 сс MIX 10 STRETCH MARKS BCN ECQ10 3 сс Vitamin A 2 cc Asian Centella 2 cc PRODUCT QUANTITY / AREA AREAS BCN ECQ10 3 сс **BCN ECQ10** 3 сс Dexpanthenol 2 cc

Polyvitamins

2 cc

SESSIONS

APPROX QUANTITIES

DEVICES

First 8 weeks: 1-2 weekly sessions | Following 4-8 weeks: 1 fortnightly session | Monthly maintenance session

Thights [7-15 ml/side] · Buttocks [7-15 ml] · Abdomen [7-12 ml] · Calfs [5-8 ml/side] · Love handles [5-7 ml/side]